





LF0201 512
 8mm
 Conical face
 Nut fix
 801-1000 series
 Silca key blank LF30R




LF0207 512
 8mm
 Square face
 Nut fix
 801-1000 series
 Silca key blank LF30R




LF1320
 9.5mm
 Conical face
 Horse shoe clip fix
 92 series
 Silca key blank LF4




LF1461 512
 11mm
 Round face
 Nut fix
 95/96 series
 Silca key blank LF2




LF1361 512A
 11mm
 Round face
 Nut fix
 92 series
 Silca key blank LF4




LF5101
 13mm
 Conical face
 Nut fix
 Cam circlip retained
 75 series
 Silca key blank LF54




LF5102
 13mm
 Conical face
 Nut fix
 Cam nut retained
 75 series
 Silca key blank LF42R




LF1432
 16mm
 Round face
 Nut fix
 95/96 series
 Silca key blank LF2




LF1434
 16mm
 Square face
 Nut fix
 95/96 series
 Silca key blank LF2




LF1336 512
 20mm
 Round face
 Nut fix
 92 series
 Silca key blank LF4



LF1339 512
 20mm
 Square face
 Snap in fix
 92 series
 Silca key blank LF4



LF1438
 20mm
 Conical face
 Snap in fix
 95/96 series
 Silca key blank LF2






LF1439
 20mm
 Square face
 Snap in fix
 95/96 series
 Silca key blank LF2





LF1443 512A
 20mm
 Conical face
 Horse shoe fix
 95/96 series
 Silca key blank LF2





LF1445
 20mm
 Square face
 Nut fix
 95/96 series
 Silca key blank LF2





LF1436 012
 20mm Non MK
 Non DNOC
 Round face
 Nut fix
 95/96 series
 Silca key blank LF2



LF1436
 20mm
 "Popular model"
 Round face
 Nut fix
 95/96 series
 Silca key blank LF2





LFF201
 20mm
 For Alubox
 post boxes
 Square face
 Horse shoe fix
 9000 series
 Silca key blank LF23R

LF4201
 20mm
 Square face
 Nut fix
 25/27 series
 Silca key blank EU5R

LF0801
 20mm
 Square face
 Nut fix
 45/47 series
 Silca key blank EU1R




LF2105
 20mm
 Conical face
 Nut fix
 66/68 series
 Silca key blank LF19




LF2131
 20mm
 Conical face
 Nut fix
 81/83 series
 Silca key blank LF19




LF2139
 20mm
 Conical face
 Nut fix
 85/87 series
 Silca key blank LF19




VERY IMPORTANT!

Cam locks are generally supplied with straight cams. Bent or cranked cams are available as spare parts. Cam locks complete with bent or custom cams can be ordered as a special order from our sales department but with a 4 - 8 week delivery.

	LF1440
	22mm Round face Nut fix 95/96 series Silca key blank LF2

	LF1441
	27mm Round face Nut fix 95/96 series Silca key blank LF2

	LF1342
	32mm Round face Nut fix 92 series Silca key blank LF4

	LF4902
	12mm Radial pin tumbler Conical face Nut fix 37 series non MK Silca key blank CH9T

	LF4303
	18mm Radial pin tumbler Conical face Nut fix 28 series non MK Silca key blank CH9T

	LF4322
	21.2mm Radial pin tumbler Flat face Nut fix 28 series non MK Silca key blank CH9T


	LF4304
	22.7mm Radial pin tumbler Conical face Nut fix 31 series non MK Silca key blank CH9T

	LF4314
	30mm Radial pin tumbler Conical face Nut fix 28 series non MK Silca key blank CH9T

	LF4801
	22.2mm Radial pin tumbler Conical face Nut fix Heavy duty 28 series non MK Silca key blank CH9T

	LF4302
	18mm Radial pin tumbler Push lock For vending machines 20/28 series non MK Silca key blank CH9T

Cam locks are generally supplied D.N.O.C. which stands for "differ number on cap". This is where the key code is stamped on the face of the lock. Also the majority of our stock is supplied under a master key, MK for short. For more secure applications MK & non DNOC locks should be used. RPT locks are non masterkeyed and non DNOC as standard.

	LFCAMS (RPT)
	Spare cams for R.P.T. (Radial pin tumbler) Oval cut out in cam Various lengths





LFNUTS

Spare nuts for standard cam locks



LF5817

Pedestal lock
Horizontal operation
32mm actuator
19mm diameter fixing hole

Silca keyblank LF45R



LF5851

Pedestal lock
Horizontal operation
45mm actuator
16.5mm diameter fixing hole
Single flange (1 ear)

Silca keyblank LF45R



LF5840 532X32

Pedestal lock
Vertical operation
32mm actuator

16.5mm diameter fixing hole
18 series
Silca key blank LF45R



LF5840 532

Pedestal lock
Vertical operation
45mm actuator

16.5mm diameter fixing hole
18 series
Silca key blank LF45R



LF5656

Pedestal lock
Fixed (peg leg) actuator for anti tilt mechanism
16.5mm diameter fixing hole

35 Series
Silca keyblank LF45R



LF5841 532X32

Pedestal lock
Horizontal operation
32mm actuator

16.5mm diameter fixing hole
18 series
Silca key blank LF45R



LF5841 532

Pedestal lock
Horizontal operation
45mm actuator

16.5mm diameter fixing hole
18 series
Silca key blank LF45R



LF5659

Pedestal lock
Fixed (peg leg) actuator for anti tilt mechanism
16.5mm diameter fixing hole
Single flange (1 ear)
35 series
Silca keyblank LF45R



LF5611

Tambour lock
Horizontal operation

16.5mm diameter fixing hole

Silca keyblank LF45R



RON 1 EAR PED

Ronis pedestal lock
16.5 mm fixing hole

Single flange (1 ear)
FM series masterkeyed
Silca key blank LS14



MERONI 2134

Pedestal lock
Meroni - Italian made

Non masterkeyed pin tumbler mechanism
Silca key blank MER2





LF5804
 Pedestal lock
 Horse shoe clip fixing
 13mm diameter fixing hole
 18 series
 Silca key blank LF45R



RON SQ PED
 Pedestal lock
 Horse shoe clip fixing
 13mm diameter fixing hole
 FM series (MK)
 Silca key blank LS14



LFB568
 Pedestal lock
 Snap in fixing
 Fixed actuator
 92 series
 Silca key blank LF4



LF1346 532
 Filing cabinet lock
 Snap in fixing
 Roller actuator
 92 series
 Silca key blank LF4



LF1346 542
 Filing cabinet lock
 Snap in fixing
 Roller actuator
 92 series
 Silca key blank LF4



RON FEMALE
 Pedestal lock
 Snap in fixing
 Female barbed actuator
 KT series
 Silca blank LS11 LS11R



LFB565
 Pedestal lock
 Nut fixing
 Roller actuator
 25/27 series
 Silca key blank EU5R



LF2201 5100
 Flat steel locker lock
 6.7mm turret
 ZA series
 RST key blank 84



LF2216
 6 lever pin locker lock
 5.5mm turret
 40 series
 RST key blank 78 X 8



LF2207
 Flat steel locker lock
 17mm turret
 ZG series
 RST key blank 101



LF2210
 Flat steel locker lock
 23.3mm turret
 ZL series
 RST key blank 82



LF2211
 Flat steel locker lock
 29.6mm turret
 RST key blank 82





LF5873
 Round cupboard lock
 16.3mm fixing hole
 19mm turret
 14mm bolt throw
 18 series
 Silca key blank LF45R



LF5870
 Round cupboard lock
 16.3mm fixing hole
 25mm turret
 7mm bolt throw
 18 series
 Silca key blank LF45R



LF5875
 Round cupboard lock
 16.3mm fixing hole
 25mm turret
 14mm bolt throw
 18 series
 Silca key blank LF45R



LF5865
 Square cupboard lock
 16.3mm fixing hole
 19mm turret
 9mm bolt throw
 18 series
 Silca key blank LF45R



LF5864
 Square cupboard lock
 16.3mm fixing hole
 25mm turret
 9mm bolt throw
 18 series
 Silca key blank LF45R



LF5956
 Square cupboard lock
 18.7mm fixing hole
 22mm turret off-set
 9mm bolt throw
 18 series
 Silca key blank LF45R



LF5883
 Square cupboard lock
 Slam shut
 16.3mm fixing hole
 19mm turret
 9mm bolt throw
 18 series
 Silca key blank LF45R



LF5880
 Triangular cupboard lock
 22mm fixing hole
 22mm turret
 9mm bolt throw
 18 series
 Silca key blank LF45R



LF0269
 Cam lock for hinged
 glass doors
 801-1000 series
 Silca key blank LF30R



LF5862
 Push lock for sliding
 doors
 19mm bore
 18 series
 Silca key blank LF45R



LF5860
 Push lock for sliding
 doors
 22mm bore
 18 series
 Silca key blank LF45R



LF5886
 Push lock for sliding
 glass doors
 18 series
 Silca key blank LF45R



**LF4421**

Latch lock (butterfly)
padlockable camlock

20mm nut fixing

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LF4441**

Latch lock (heavy duty)
padlockable camlock

20mm heavy duty

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LF4463**

Latch lock
padlockable camlock

20mm heavy duty

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LFA099**

20mm combination cam
lock with re-settable
combination

Master key for over-ride
and combination reset

**LF4452**

Latch lock
padlockable camlock

31.7mm heavy duty

Locks with a padlock
that has a shackle
diameter of 5-7mm

**78MK507**

3 digit fixed code
traditional dial
combination lock
High protection against
manipulation

With over-ride master
key (sold separately)

**LF4417**

Latch lock
padlockable camlock

20mm nut fixing

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LF4418**

Latch lock
padlockable camlock

25mm nut fixing

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LF4419**

Latch lock
padlockable camlock

30mm nut fixing

Locks with a padlock
that has a shackle
diameter of 5-7mm

**LF80054**

Budget lock key

8mm triangle female

For use with spanner or
budget locks

**LF80115**

Budget lock key long

8mm triangle female

For use with spanner or
budget locks

**LF9304 671**

Budget lock key long

7mm square female

For use with spanner or
budget locks





LF0011

16.1mm body cam lock
IP65 rated
Nut fix
5mm double barb key sold separately



LF0012

16.1mm body cam lock
IP65 rated
Nut fix
7mm square key sold separately



LF0013

16.1mm body cam lock
IP65 rated
Nut fix
8mm triangular key sold separately



LF0018

16.1mm plastic body cam lock
Nut fix
8mm triangle key sold separately



LF0025

16.1mm body locking wing handle lock
Nut fix
92 series
Silca key blank LF4



LF2603

20mm body locking wing handle lock
Nut fix
801-900 series
Silca key blank LF30R



LFF48

11mm body cam lock
Nut fix
8mm triangular key sold separately



LFB51

16.1mm body cam lock
Nut fix
8mm triangular key sold separately



LFB576

20mm body cam lock
Spring loaded hooked cam
Nut fix
8mm triangular key sold separately



LF9304 672

Budget lock key long
3mm twin barb
For use with spanner or budget locks



LF9304 670

Budget lock key long
5mm twin barb
For use with spanner or budget locks

Most Lowe & Fletcher product stocked by us is masterkeyed (M.K.). Non masterkeyed is generally used for more secure applications. To help distinguish between both types look into the keyway and if there is a step in any of the wafers the lock is masterkeyed.







LF2802
 7 lever safe lock
 Bolt shoots to left
 Vertical orientation
 RST key blank 360M



CT12P
 7 lever safe lock
 Bolt shoots to right
 Vertical orientation
 RST key blank 360M



LF3006
 7 lever safe lock
 Bolt shoots to left
 Horizontal orientation
 RST key blank 360M



LF2802 SLAM
 7 lever safe lock
 Bolt springs to left
 Vertical orientation
 RST key blank 360M



DRUG 7L
 7 lever drug cabinet lock
 with fixing flanges and
 nozzle
 Bolt shoots to left
 Vertical orientation
 RST key blank 360M



SEC STUV MVFR
 Stuv safe lock for
 Securikey fire resistant
 Minivault safes




LF3012 LH
 8 lever safe lock
 Double bitted pin key
 Left hand
 L&F key blank
 LF8100013




LF3012 RH
 8 lever safe lock
 Double bitted pin key
 Right hand
 L&F key blank
 LF8100013



SEC ALSF MVDBS
 Safe lock for Securikey
 Minivault safes
 "s" logo on key



MAUER 71111
 8 lever mauer President
 VdS class1 safe lock
 280,000 differs
 Mauer key blank
 MAUER 90MM




MAUER 71111 150MM
 8 lever mauer President
 VdS class1 safe lock
 280,000 differs
 Mauer key blank
 MAUER 150MM



MAUER 70079
 8 lever mauer Praetor
 VdS class2 safe lock
 2 million differs
 RST key blank 7418/120





SECAL STUV MP

Stuv safe lock for Securikey Minor Protector safes

3 fixing holes

RST key blank 7410



SL 525

Electronic combination safe lock

VdS class 2
18 user codes

Time delay with audit trail and time clock

LF BIN LOCK

Gravity operated bin lock for domestic wheelie bins
Stops unauthorised people using a bin
Lock opens when bin is inverted during collection



LF7005201

Spiked washer for fitting camlocks to round holes in wood

When talking about movements in cam locks the clock is used, eg. 12 o'clock to 3 o'clock is a 90° turn clockwise. Most cam locks in our stock use this movement. If however you need the locking cam to travel 180°, remove the cam & core and a small component will fall out, with this removed the lock will now turn 180°. We call this piece the "toe nail".



LF1601512

"T" handle lock for metal cabinets with three point locking

92 series
Silca key blank LF4



LF1601TH

"T" handle lock for metal cabinets with threaded spindle

92 series
Silca key blank LF4



LF1605

Black knob lock for metal cabinets with three point locking

92 series
Silca key blank LF4



LF1613514

Garage door replacement lock

Diamond actuator

Silca key blank LF4



LF1616514

Garage door replacement lock

Square actuator

Silca key blank LF4



LF1685030

HS2000 garage door lock

Half euro cylinder operation







	<p>LF2786</p>
	<p>Coin operated locker lock</p> <p>Right hand operation</p> <p>Economy version 66/68 series Silca key blank LF19</p>

	<p>LF276451</p>
	<p>Coin operated locker lock</p> <p>Right hand operation</p> <p>95/96 series Silca key blank LF2</p>

	<p>LF276452</p>
	<p>Coin operated locker lock</p> <p>Left hand operation</p> <p>95/96 series Silca key blank LF2</p>


	<p>RON7410</p>
	<p>Coin operated locker lock</p> <p>Water resistant</p> <p>Economy version</p> <p>Left or right handed</p>

	<p>MBCL 01</p>
	<p>Replacement camlocks for Sterling MB01 and MB02 postboxes</p>

	<p>MBCL 02</p>
	<p>Replacement camlocks for Sterling MB03 postboxes</p>

	<p>MERONI CAM</p>
	<p>Small Meroni cam lock</p> <p>Generally fitted to post boxes</p> <p>Pin tumbler cylinder</p> <p>Silca key blank MER2</p>

	<p>MERONI 2251</p>
	<p>20mm Meroni cam lock</p> <p>Non masterkeyed secure and robust</p> <p>Pin tumbler cylinder</p> <p>Silca key blank MER2</p>

	<p>MERONI 1291</p>
	<p>Meroni ratchet glass cabinet lock</p> <p>Used on sliding glass units KA or KD</p> <p>Silca key blank BMB5</p>

When ordering any cabinet locks please request

- 1 - Roses
- 2 - Master keys
- 3 - Receivers

or any other accessories as these are usually supplied as separate chargeable items

Ronis have two main key series FH & FM
FH locks are non masterkeyed
FM locks are masterkeyed

	<p>MERONI 2351</p>
	<p>Meroni oval pedestal lock</p> <p>Horse shoe fixing</p> <p>Silca key blank MER2</p>

	<p>MERONI 2134</p>
	<p>Meroni pedestal lock</p> <p>Pin tumbler cylinder</p> <p>2 ear</p> <p>Silca key blank MER2</p>